Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
R. L. Baldwin
M. S. Bretscher
C. R. Cantor
P. Chambon
G. A. Gilbert
M. Gottesman
R. Huber
H. E. Huxley
A. Klug
V. Luzzati
M. F. Moody
C. C. Richardson
P. M. B. Walker
K. Weber
S. M. Weissman

VOLUME 132
25 July to 25 August 1979

ACADEMIC PRESS
London New York San Francisco

QH301
J73

Copyright © 1979, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any
form, by photostat, microfilm, or any other means,
without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 132

NUMBER 1, 25 JUNE 1979

FREY, T. K., GARD, D. L. and STRAUSS, J. H., Biophysical Studies on Circle Formation by Sindbis Virus 49 S RNA 1

ROBSON, B. and OSGUTHORPE, D. J., Refined Models for Computer Simulation of Protein Folding. Applications to the Study of Conserved Secondary Structure and Flexible Hinge Points During the Folding of Pancreatic Trypsin Inhibitor 19

YU, L. C., HARTT, J. E. and PODOLSKY, R. J., Equatorial X-ray Intensities and Isometric Force Levels in Frog Sartorius Muscle 53

UNWIN, P. N. T., Attachment of Ribosome Crystals to Intracellular Membranes 69

CUTFIELD, J. F., CUTFIELD, S. M., DODSON, E. J., DODSON, G. G., EMDIN, S. F. and REYNOLDS, C. D., Structure and Biological Activity of Hagfish Insulin 85

EARNSHAW, W. C., GOLDBERG, E. B. and CROWTHER, R. A., The Distal Half of the Tail Fibre of Bacteriophage T4. Rigidly Linked Domains and Cross-β Structure 101

LETTER TO THE EDITOR

KUNKEL, L. M., SILBERKLANG, M. and MCCARTHY, B. J., A Third Restriction Endonuclease from *Xanthomonas malvacearum* . . 133

NUMBER 2, 5 JULY 1979

CARLSON, J. O. and PETTIJOHN, D. E., Lengths of Transcriptional Units Coding for the Heat Shock Proteins in *Drosophila melanogaster* 141

FOWLKES, D. M., LORD, S. T., LINNÉ, T., PETTERSSON, U. and PHILIPSON, L., Interaction Between the Adenovirus DNA-binding Protein and Double-stranded DNA 163

ZACCAI, G. and GILMORE, D. J., Areas of Hydration in the Purple Membrane of *Halobacterium halobium*: A Neutron Diffraction Study. 181

HENDERSON, D., EIBL, H. and WEBER, K., Structure and Biochemistry of Mouse Hepatic Gap Junctions 193

BOLLEN, A., LATHE, R., HERZOG, A., DENICOURT, D., LECOCQ, J. P., DESMAREZ, L. and LAVALLÉ, R., A Conditionally Lethal Mutation of *Escherichia coli* Affecting the Gene Coding for Ribosomal Protein S2(*rpsB*) 219

Cundliffe, E., Dixon, P., Stark, M., Stöffler, G., Ehrlich, R., Stöffler-Meilicke, M. and Cannon, M., Ribosomes in Thiostrepton-resistant Mutants of *Bacillus megaterium* Lacking a Single 50 S Subunit Protein. 235

Letter to the Editor

Wittinghofer, A., Frank, R., Gast, W. H. and Leberman, R., Polyphenylalanine Synthesis by Crystallized Trypsin-modified EF-Tu·GDP 253

Number 3, 15 July 1979

Thomas, D. D., Seidel, J. C. and Gergely, J., Rotational Dynamics of Spin-labeled F-actin in the Sub-millisecond Time Range . . . 257

Cohen, F. E., Richmond, T. J. and Richards, F. M., Protein Folding: Evaluation of some Simple Rules for the Assembly of Helices into Tertiary Structures with Myoglobin as an Example 275

Houck, C. M., Rinehart, F. P. and Schmid, C. W., A Ubiquitous Family of Repeated DNA Sequences in the Human Genome . . 289

Young, R., Way, J., Way, S., Yin, J. and Syvanen, M., Transposition Mutagenesis of Bacteriophage Lambda: A New Gene Affecting Cell Lysis 307

Elliott, A., Structure of Molluscan Thick Filaments: A Common Origin for Diverse Appearances 323

Appendix: Dover, S. D. and Elliott, A., Three-dimensional Reconstruction of a Paramyosin Filament 340

Case, D. A. and Karplus, M., Dynamics of Ligand Binding to Heme Proteins 343

Arisaka, F., Tschopp, J., van Driel, R. and Engel, J., Reassembly of the Bacteriophage T4 Tail from the Core-Baseplate and the Monomeric Sheath Protein P18: A Co-operative Association Process 369

Olson, M. V., Loughney, K. and Hall, B. D., Identification of the Yeast DNA Sequences that Correspond to Specific Tyrosine-inserting Nonsense Suppressor Loci 387

Alden, C. J. and Kim, S.-H., Solvent-accessible Surfaces of Nucleic Acids . 411

Neuberger, M. S. and Hartley, B. S., Investigations into the *Klebsiella aerogenes* Penitol Operons Using Specialised Transducing Phages λ*prbt* and λ*prbt dal* 435

Wilson, G. G. and Murray, N. E., Molecular Cloning of the DNA Ligase Gene from Bacteriophage T4 I. Characterisation of the Recombinants . . 471

Murray, N. E., Bruce, S. A. and Murray, K., Molecular Cloning of the DNA Ligase Gene from Bacteriophage T4 II. Amplification and Preparation of the Gene Product 493

Ono, B.-I., Stewart, J. W. and Sherman, F., Yeast UAA Suppressors Effective in ψ^+ Strains: Leucine-inserting Suppressors 507

Debarbouille, M. and Schwartz, M., The Use of Gene Fusions to Study the Expression of *mal*T, the Positive Regulator Gene of the Maltose Regulon 521

Sundin, O. and Varshavsky, A., Staphylococcal Nuclease Makes a Single Non-random Cut in the Simian Virus 40 Viral Minichromosome . . 535

Letters to the Editor

Leibowitz, P. J., Siegel, P. J. and Schaechter, M., Incomplete Detachment of Parental Coliphage T4 DNA from the Host Cell Membrane . 547

Knoll, B. J., An Analysis of Repressor Overproduction by the λcIIIs Mutant 551

Number 4, 25 July 1979

Fairclough, R. H., Cantor, C. R., Wintermeyer, W. and Zachau, H. G., Fluorescence Studies of the Binding of a Yeast $tRNA^{Phe}$ Derivative to *Escherichia coli* Ribosomes 557

Fairclough, R. H. and Cantor, C. R., The Distance Between the Anticodon Loops of Two tRNAs Bound to the 70 S *Escherichia coli* Ribosome . 575

Fairclough, R. H. and Cantor, C. R., An Energy Transfer Equilibrium between two Identical Copies of a Ribosome-bound Fluorescent Transfer RNA Analogue: Implications for the Possible Structure of Codon–Anticodon Complexes 587

Fitzgerald, P. M. D. and Love, W. E., Structure of Deoxy Hemoglobin C (beta six Glu → Lys) in Two Crystal Forms 603

Noller, H. F. and Garrett, R. A., Structure of 5 S Ribosomal RNA from *Escherichia coli*: Identification of Kethoxal-reactive Sites in the A and B Conformations 621

Garrett, R. A. and Noller, H. F., Structure of Complexes of 5S RNA with Ribosomal Proteins L5, L18 and L25 from *Escherichia coli*: Identification of Kethoxal-reactive Sites on the 5 S RNA 637

Inokuchi, H., Yamao, F., Sakano, H. and Ozeki, H., Identification of Transfer RNA Suppressors in *Escherichia coli* I. Amber Suppressor *su*+2, an Anticodon Mutant of $tRNA_2^{Gln}$ 649

Inokuchi, H., Kodaira, M., Yamao, F. and Ozeki, H., Identification of Transfer RNA Suppressors in *Escherichia coli* II. Duplicate Genes for $tRNA_2^{Gln}$ 663

McMullen, M. D., Shaw, P. H. and Martin, T. E., Characterization of Poly(A$^+$)RNA in Free Messenger Ribonucleoprotein and Polysomes of Mouse Taper Ascites Cells 679

Kinniburgh, A. J., McMullen, M. D. and Martin, T. E., Distribution of Cytoplasmic Poly(A$^+$)RNA Sequences in Free Messenger Ribonucleoprotein and Polysomes of Mouse Ascites Cells 695

Ogata, R. T. and Gilbert, W., DNA-binding Site of *lac* Repressor Probed by Dimethylsulfate Methylation of *lac* Operator 709

Letters to the Editor

Harada, S., Matsuura, Y., Tanaka, N., Kakudo, M., Matsuda, Y., Ogawa, H., Shiraki, H. and Nakagawa, H., Preliminary Crystallographic Data for Adenylosuccinate Synthetase from Rabbit Skeletal Muscle . 729

Morrow, J. S., Veatch, W. R. and Stryer, L., Transmembrane Channel Activity of Gramicidin A Analogs: Effects of Modification and Deletion of the Amino-terminal Residue 733

Announcement 739

Index to Volume 132

Adenovirus DNA-binding protein, interaction with double-stranded DNA, 163
Adenylosuccinate synthetase from rabbit skeletal muscle, preliminary crystallographic data, 729
Alden, C. J. & Kim, S.-H., Solvent-accessible surfaces of nucleic acids, 411
Amber suppressor su^+2, an anticodon mutant of $tRNA_2^{Gln}$, in *Escherichia coli*, 649
Anticodon mutant of $tRNA_2^{Gln}$, amber suppressor su^+2 in *Escherichia coli*, 649
— structure: implications from an energy transfer equilibrium between two identical copies of a ribosome-bound fluorescent transfer RNA analogue, 587
— -anticodon distance of two tRNAs bound to the 70 S *Escherichia coli* ribosome, 575
Arisaka, F., Tschopp, J., van Driel, R. & Engel, J., Reassembly of the bacteriophage T4 tail from the core-baseplate and the monomeric sheath protein P18: a co-operative association process, 369
Ascites cells, Taper, mouse, characterization of poly(A^+)RNA in free messenger ribonucleoprotein and polysomes, 679
— —, —, —, distribution of cytoplasmic poly(A^+)RNA sequences in free messenger ribonucleoprotein and polysomes, 695
Assembly (see also Reassembly), 369
— of helices into tertiary structures, evaluation of some simple rules with myoglobin as an example; protein folding, 275
Association process, co-operative: reassembly of the bacteriophage T4 tail from the core-baseplate and the monomeric sheath protein P18, 369

Bacillus megaterium, ribosomes in thiostrepton-resistant mutants lacking a single 50 S subunit protein, 235
Bacteriophage lambda transposition mutagenesis: a new gene affecting cell lysis, 307
— T4, molecular cloning of the DNA ligase gene: amplification and preparation of the gene product, 493
— —, — — — — — — — —: characterization of the recombinants, 471
— — tail fibre, rigidly linked domains and cross-β structure of the distal half, 101
— — — reassembly from the core-baseplate and the monomeric sheath protein P18: a co-operative association process, 369
Bacteriophages $\lambda prbt$ and $\lambda prbt$ *dal* used in investigations into the *Klebsiella aerogenes* pentitol operons, 435
Beta six Glu → Lys, structure in two crystal forms, 603
Binding of ligands to heme proteins: dynamics, 343
— — a yeast $tRNA^{Phe}$ derivative to *Escherichia coli* ribosomes, fluorescence studies, 557
Bollen, A., Lathe, R., Herzog, A., Denicourt, D., Lecocq, J. P., Desmarez, L. & Lavallé, R., A conditionally lethal mutation of *Escherichia coli* affecting the gene coding for ribosomal protein S2(*rpsB*), 219
Bruce, S. A. (see also Murray, N. E.), 493

Cannon, M. (see also Cundliffe, E.), 235
Cantor, R. C. (see also Fairclough, R. H.), 557, 575, 587
Carlson, J. O. & Pettijohn, D. E., Lengths of transcriptional units coding for the heat shock proteins in *Drosophila melanogaster*, 141
Case, D. A. & Karplus, M., Dynamics of ligand binding to heme proteins, 343
Channel, transmembrane, activity of gramicidin A analogs: effects of modification and deletion of the amino-terminal residue, 733
Circle formation by Sindbis virus 49 S RNA, biophysical studies, 1
Cloning, molecular, of the DNA ligase gene from bacteriophage T4: amplification and preparation of the gene product, 493
—, —, — — — — — — — —: characterization of the recombinants, 471
Codon–anticodon complex structure: implications from an energy transfer equilibrium between two identical copies of a ribosome-bound fluorescent transfer RNA analogue, 587
Cohen, F. E., Richmond, T. J. & Richards, F. M., Protein folding: evaluation of some simple rules for the assembly of helices into tertiary structures with myoglobin as an example, 275
Coliphage T4 DNA, parental, incomplete detachment from the host cell membrane, 547

Computer simulation of protein folding: applications to the study of conserved secondary structure and flexible hinge points during the folding of pancreatic trypsin inhibitor, 19
Cross-β structure and rigidly linked domains of distal half of tail fibre of bacteriophage T4, 101
Crowther, R. A. (see also Earnshaw, W. C.), 101
Crystallization of ribosomes on intracellular membranes, 69
Crystallized trypsin-modified EF-Tu·GDP and polyphenylalanine synthesis, 253
Crystallograpnic data, preliminary, for adenylosuccinate synthetase from rabbit skeletal muscle, 729
Cundliffe, E., Dixon, P., Stark, M., Stöffler, G., Ehrlich, R., Stöffler-Meilicke, M. & Cannon, M., Ribosomes in thiostrepton-resistant mutants of *Bacillus megaterium* lacking a single 50 S subunit protein, 235
Cutfield, J. F., Cutfield, S. M., Dodson, E. J., Dodson, G. G., Emdin, S. F. & Reynolds, C. D., Structure and biological activity of hagfish insulin, 85
Cutfield, S. M. (see also Cutfield, J. F.), 85
Cytoplasmic poly(A^+)RNA sequences, distribution in free messenger ribonucleoprotein and polysomes of mouse Taper ascites cells, 695

Debarbouille, M. & Schwartz, M., The use of gene fusions to study the expression of *mal*T, the positive regulator gene of the maltose regulon, 521
Denicourt, D. (see also Bollen, A.), 219
Deoxy hemoglobin C (beta six Glu → Lys), structure of two crystal forms, 603
DNA, coliphage T4, parental, incomplete detachment from the host cell membrane, 547
— ligase gene molecular cloning for bacteriophage T4: amplification and preparation of the gene product, 493
— — — — cloning for bacteriophage T4: characterization of the recombinants, 471
— sequences, repeated, a ubiquitous family in the human genome, 289
— —, yeast, corresponding to specific tyrosine-inserting nonsense suppressor loci, 387
— -binding protein of adenovirus, interaction with double-stranded DNA, 163
— — site of *lac* repressor probed by dimethylsulfate methylation of *lac* operator, 709
Desmarez, L. (see also Bollen, A.), 219
Dimethylsulfate methylation of *lac* operator probes DNA-binding site of *lac* repressor, 709
Dixon, P. (see also Cundliffe, E.), 235
Dodson, E. J. (see also Cutfield, J. F.), 85
Dodson, G. G. (see also Cutfield, J. F.), 85
Dover, S. D. & Elliott, A., Three-dimensional reconstruction of a paramyosin filament (*Appendix* to Elliott, A., 323), 340
Drosophila melanogaster, lengths of transcriptional units coding for the heat shock proteins, 141
Dynamics of ligand binding to heme proteins, 343
—, rotational, of spin-labeled F-actin in the sub-millisecond time range, 257

Earnshaw, W. C., Goldberg, E. B. & Crowther, R. A., The distal half of the tail fibre of bacteriophage T4. Rigidly linked domains and cross-β structure, 101
EF-Tu·GDP, trypsin-modified, crystallized, and polyphenylalanine synthesis, 253
Ehrlich, R. (see also Cundliffe, E.), 235
Eibl, H. (see also Henderson, D.), 193
Elliott, A., Structure of molluscan thick filaments: a common origin for diverse appearances, 323
— (see also Dover, S. D.), 340
Emdin, S. F. (see also Cutfield, J. F.), 85
Energy transfer equilibrium between two identical copies of a ribosome-bound fluorescent transfer RNA analogue: implications for the possible structure of codon–anticodon complexes, 587
Engel, J. (see also Arisaka, F.), 369
Escherichia coli, amber suppressor *su*$^+$2, an anticodon mutant of $tRNA_2^{Gln}$, 649
— —, a conditionally lethal mutation affecting the gene coding for ribosomal protein S2 (*rpsB*), 219
— —, duplicate genes for $tRNA_2^{Gln}$, 663
— — 70 S ribosome, the distance between the anticodon loops of two bound tRNAs, 575
— — ribosomes and the binding of a yeast $tRNA^{Phe}$ derivative: fluorescence studies, 557
— —, structure of 5 S ribosomal RNA: identification of kethoxal-reactive sites in the A and B conformations, 621
— —, structures of complexes of 5 S RNA with ribosomal proteins L5, L18 and L25: identification of kethoxal-reactive sites on the 5 S RNA, 637

F-actin, spin-labeled, rotational dynamics in the sub-millisecond time range, 257
Fairclough, R. H. & Cantor, C. R., The distance between the anticodon loops of two tRNAs bound to the 70 S *Escherichia coli* ribosome, 575
— & Cantor, C. R., An energy transfer equilibrium between two identical copies of a ribosome-bound fluorescent transfer RNA analogue: implications for the possible structure of codon–anticodon complexes, 587
—, —, Wintermeyer, W. & Zachau, H. G., Fluorescence studies of the binding of a yeast $tRNA^{Phe}$ derivative to *Escherichia coli* ribosomes, 557
Filament, paramyosin, a three-dimensional reconstruction, 340
Filaments, thick, molluscan, an examination of their structure: a common origin for diverse appearances, 323
Fitzgerald, P. M. D. & Love, W. E., Structure of deoxy hemoglobin C (beta six Glu → Lys) in two crystal forms, 603
Fluorescence studies of the binding of a yeast $tRNA^{Phe}$ derivative to *Escherichia coli* ribosomes, 557
Fluorescent transfer RNA analogue, ribosome-bound, an energy transfer equilibrium between two identical copies: implications for the possible structure of codon–anticodon complexes, 587
Folding of protein: evaluation of some simple rules for the assembly of helices into tertiary structures with myoglobin as an example, 275
— — —, refined models for computer simulation: applications to the study of conserved secondary structure and flexible hinge points during the folding of pancreatic trypsin inhibitor, 19
Force levels, isometric, and equatorial X-ray intensities in frog sartorius muscle, 53
Fowlkes, D. M., Lord, S. T., Linné, T., Pettersson, U. & Philipson, L., Interaction between the adenovirus DNA-binding protein and double-stranded DNA, 163
Frank, R. (see also Wittinghofer, A.), 253
Frey, T. K., Gard, D. L. & Strauss, J. H., Biophysical studies on circle formation by Sindbis virus 49 S RNA, 1
Frog sartorius muscle, equatorial X-ray intensities and isometric force levels, 53

Gap junctions, hepatic, mouse, structure and biochemistry, 193
Gard, D. L. (see also Frey, T. K.), 1
Garrett, R. A. & Noller, H. F., Structure of complexes of 5 S RNA with ribosomal proteins L5, L18 and L25 from *Escherichia coli:* identification of kethoxal-reactive sites on the 5 S RNA, 637
— (see also Noller, H. F.), 621
Gast, W. H. (see also Wittinghofer, A.), 253
Gene coding for ribosomal protein S2 (*rpsB*) affected by a conditionally lethal mutation of *Escherichia coli*, 219
— fusions used to study the expression of *mal* T, the positive regulator gene of the maltose regulon, 521
Genome, human, a ubiquitous family of repeated DNA sequences, 289
—, new, affecting cell lysis; transposition mutagenesis of bacteriophage lambda, 307
—, T4 DNA ligase, and molecular cloning: amplification and preparation of the gene product, 493
—, — DNA ligase, and molecular cloning: characterisation of the recombinants, 471
Genes, duplicate, for $tRNA_2^{Gln}$: identification of transfer RNA suppressors in *Escherichia coli*, 663
Gergely, J. (see also Thomas, D. D.), 257
Gilbert, W. (see also Ogata, R. T.), 709
Gilmore, D. J. (see also Zaccai, G.), 181
Goldberg, E. B. (see also Earnshaw, W. C.), 101
Gramicidin A analogs and transmembrane channel activity: effects of modification and deletion of the amino-terminal residue, 733

Hagfish insulin, structure and biological activity, 85
Hall, B. D. (see also Olson, M. V.), 387
Halobacterium halobium, a neutron diffraction study of areas of hydration in the purple membrane, 181
Harada, S., Matsuura, Y., Tanaka, N., Kakudo, M., Matsuda, Y., Ogawa, H., Shiraki, H. & Nakagawa, H., Preliminary crystallographic data for adenylosuccinate synthetase from rabbit skeletal muscle, 729
Hartley, B. S. (see also Neuberger, M. S.), 435
Hartt, J. E. (see also Yu, L. C.), 53
Heat shock proteins in *Drosophila melanogaster*, lengths of coding transcriptional units, 141

Helices, evaluation of some simple rules for their assembly into tertiary structures with myoglobin as an example; protein folding, 275
Heme proteins, dynamics of ligand binding, 343
Hemoglobin C (beta six Glu → Lys), structure of two crystal forms, 603
Henderson, D., Eibl, H. & Weber, K., Structure and biochemistry of mouse hepatic gap junctions, 193
Hepatic gap junctions of mouse, structure and biochemistry, 193
Herzog, A. (see also Bollen, A.), 219
Hinge points and secondary structure during the folding of pancreatic trypsin inhibitor; refined models for computer simulation of protein folding, 19
Houck, C. M., Rinehart, F. P. & Schmid, C. W., A ubiquitous family of repeated DNA sequences in the human genome, 289
Human genome, a ubiquitous family of repeated DNA sequences, 289
Hydration areas in the purple membrane of *Halobacterium halobium:* a neutron diffraction study, 181

Inokuchi, H., Kodaira, M., Yamao, F. & Ozeki, H., Identification of transfer RNA suppressors in *Escherichia coli* II. Duplicate genes for $tRNA_2^{Gln}$, 663
—, Yamao, F., Sakano, H. & Ozeki, H., Identification of transfer RNA suppressors in *Escherichia coli* I. Amber suppression su^+2, an anticodon mutant of $tRNA_2^{Gln}$, 649
Insulin, hagfish, structure and biological activity, 85

Kakudo, M. (see also Harada, S.), 729
Karplus, M. (see also Case, D. A.), 343
Kethoxal-reactive site identification on 5S RNA: structures of complexes of 5 S RNA with ribosomal proteins L5, L18 and L25 from *Escherichia coli*, 637
—·— — — in the A and B conformations of 5 S ribosomal RNA from *Escherichia coli*, 621
Kim, S.-H. (see also Alden, C. J.), 411
Kinniburgh, A. J., McMullen, M. D. & Martin, T. E., Distribution of cytoplasmic poly(A^+) RNA sequences in free messenger ribonucleoprotein and polysomes of mouse ascites cells, 695
Klebsiella aerogenes pentitol operons, investigations using specialised transducing phages λ*prbt* and λ*prbt dal*, 435
Knoll, B. J., An analysis of repressor overproduction by the λcIII$_S$ mutant, 551
Kodaira, M. (see also Inokuchi, H.), 663
Kunkel, L. M., Silberklang, M. & McCarthy, B. J., A third restriction endonuclease from *Xanthomonas malvacearum*, 133

L5, L18 and L25 ribosomal proteins from *Escherichia coli*, structures of their complexes with 5 S RNA: identification of kethoxal-reactive sites on the 5 S RNA, 637
λ (see also Bacteriophage), 307
λcIIIs mutant, an analysis of repressor overproduction, 551
λ*prbt* (see also Bacteriophage), 435
λ*prbt dal* (see also Bacteriophage), 435
lac repressor DNA-binding site probed by dimethylsulfate methylation of *lac* operator, 709
Lathe, R. (see also Bollen, A.), 219
Lavallé, R. (see also Bollen, A.), 219
Leberman, R. (see also Wittinghofer, A.), 253
Lecocq, J. P. (see also Bollen, A.), 219
Leibowitz, P. J., Siegel, P. J. & Schaechter, M., Incomplete detachment of parental coliphage T4 DNA from the host cell membrane, 547
Leucine-inserting suppressors: yeast UAA suppressors effective in ψ^+ strains, 507
Ligand binding to heme proteins: dynamics, 343
Linné, T. (see also Fowlkes, D. M.), 163
Lord, S. T. (see also Fowlkes, D. M.), 163
Loughney, K. (see also Olson, M. V.), 387
Love, W. E. (see also Fitzgerald, P. M. D.), 603
Lysis of cells is affected by a new gene; transposition mutagenesis of bacteriophage lambda, 307

McCarthy, B. J. (see also Kunkel, L. M.), 133
McMullen, M. D., Shaw, P. H. & Martin, T. E., Characterization of poly(A^+)RNA in free messenger ribonucleoprotein and polysomes of mouse Taper ascites cells, 679
McMullen, M. D. (see also Kinniburgh, A. J.), 695
*mal*T expression, a study using gene fusions, 521

Martin, T. E. (see also Kinniburgh, A. J.), 695
— (see also McMullen, M. D.), 679
Matsuda, Y. (see also Harada, S.), 729
Matsuura, Y. (see also Harada, S.), 729
Membrane, purple, of *Halobacterium halobium*, a neutron diffraction study of areas of hydration, 181
Membranes, intercellular, and the attachment of ribosome crystals, 69
Messenger ribonucleoprotein, free, and polysomes of mouse Taper ascites cells, characterization of poly(A^+)RNA, 679
— —, —, — — — — — — —, distribution of cytoplasmic poly(A^+)RNA sequences, 695
Methylation, dimethysulfate, of *lac* operator probes DNA-binding site of *lac* repressor, 709
Minichromosome, SV40, staphylococcal nuclease makes a single non-random cut, 535
Molluscan thick filament structure: a common origin for diverse appearances, 323
Morrow, J. S., Veatch, W. R. & Stryer, L., Transmembrane channel activity of gramicidin A analogs: effects of modification and deletion of the amino-terminal residue, 733
Mouse hepatic gap junctions, structure and biochemistry, 193
Mouse Taper ascites cells, characterization of poly(A^+)RNA in free messenger ribonucleoprotein and polysomes, 679
— — — —, distribution of cytoplasmic poly(A^+)RNA sequences in free messenger ribonucleoprotein and polysomes, 695
Murray, K. (see also Murray, N. E.), 493
Murray, N. E., Bruce, S. A. & Murray, K., Molecular cloning of the DNA ligase gene from bacteriophage T4 II. Amplification and preparation of the gene product, 493
— (see also Wilson, G. G.), 471
Muscle, sartorius, frog, equatorial X-ray intensities and isometric force levels, 53
—, skeletal, rabbit, preliminary crystallographic data for adenylosuccinate synthetase, 729
Mutagenesis, transposition, of bacteriophage lambda: a new gene affecting cell lysis, 307
Mutant, anticodon, of $tRNA_2^{Gln}$, amber suppressor *su*$^+$2 in *Escherichia coli*, 649
—, λ*c*III, an analysis of repressor overproduction, 551
Mutants, thiostrepton-resistant, of *Bacillus megaterium*, ribosomes lacking a single 50 S subunit protein, 235
Mutation, conditionally lethal, of *Escherichia coli* affecting the gene coding for ribosomal protein S2 (*rpsB*), 219
Myoglobin as an example in the evaluation of some simple rules for the assembly of helices into tertiary structures; protein folding, 275

Nakagawa, H. (see also Harada, S.), 729
Neuberger, M. S. & Hartley, B. S., Investigations into the *Klebsiella aerogenes* pentitol operons using specialised transducing phages λ*prbt* and λ*prbt dal*, 435
Neutron diffraction study of areas of hydration in the purple membrane of *Halobacterium halobium*, 181
Noller, H. F. & Garrett, R. A., Structure of 5 S ribosomal RNA from *Escherichia coli*: identification of kethoxal-reactive sites in the A and B conformations, 621
— (see also Garrett, R. A.), 637
Nonsense suppressor loci, tyrosine-inserting, specific, identification of the corresponding yeast DNA sequences, 387
Nucleic acids: solvent-accessible surfaces, 411

Ogata, R. T. & Gilbert, W., DNA-binding site of *lac* repressor probed by dimethylsulfate methylation of *lac* operator, 709
Ogawa, H. (see also Harada, S.), 729
Olson, M. V., Loughney, K. & Hall, B. D., Identification of the yeast DNA sequences that correspond to specific tyrosine-inserting nonsense suppressor loci, 387
Ono, B.-I., Stewart, J. W. & Sherman, F., Yeast UAA suppressors effective in ψ^+ strains: leucine-inserting suppressors, 507
Osguthorpe, D. J. (see also Robson, B.), 19
Ozeki, H. (see also Inokuchi, H.), 649, 663

P18 protein, sheath, and the reassembly of the bacteriophage T4 tail with the core-baseplate: a co-operative association process, 369
Pancreatic trypsin inhibitor, secondary structure and flexible hinge points during folding: refined models for computer simulation, 19
Paramyosin filament, a three-dimensional reconstruction, 340

Parental coliphage T4 DNA, incomplete detachment from the host cell membrane, 547
Pentitol operons of *Klebsiella aerogenes*, investigations using specialised transducing phages λ*prbt* and λ*prbt dal*, 435
Pettersson, U. (see also Fowlkes, D. M.), 163
Pettijohn, D. E. (see also Carlson, J. O.), 141
Philipson, L. (see also Fowlkes, D. M.), 163
Podolsky, R. J. (see also Yu, L. C.), 53
Poly(A$^+$)RNA, characterization in free messenger ribonucleoprotein and polysomes of mouse Taper ascites cells, 679
— — — sequences, cytoplasmic, distribution in free messenger ribonucleoprotein and polysomes of mouse Taper ascites cells, 695
Polyphenylalanine synthesis by crystallized trypsin-modified EF-Tu·GDP, 253
Polysomes and free messenger ribonucleoprotein of mouse Taper ascites cells, characterization of poly(A$^+$)RNA, 679
— — — — — — — — —, distribution of cytoplasmic poly(A$^+$)RNA sequences, 695
Protein, DNA-binding, of adenovirus, interaction with double-stranded DNA, 163
— folding: evaluation of some simple rules for the assembly of helices into tertiary structures with myoglobin as an example, 275
— —, refined models for computer simulation: applications to the study of conserved secondary structure and flexible hinge points during the folding of pancreatic trypsin inhibitor, 19
—, heme, dynamics of ligand binding, 343
— P18, sheath, and the reassembly of the bacteriophage T4 tail with the core-baseplate: a co-operative association process, 369
— S2, ribosomal, a conditionally lethal mutation of *Escherichia coli* affecting the gene coding (*rpsB*), 219
—, single 50 S subunit, lacking in ribosomes in thiostrepton-resistant mutants of *Bacillus megaterium*, 235
Proteins, heat shock, of *Drosophila melanogaster*, lengths of coding transcriptional units, 141
— L5, L18 and L25, ribosomal, from *Escherichia coli*, structures of their complexes with 5 S RNA: identification of kethoxal-reactive sites on the 5 S RNA, 637
ψ^+ strain yeast UAA suppressors: leucine-inserting suppressors, 507
Purple membrane of *Halobacterium halobium*, a neutron diffraction study of areas of hydration, 181

Rabbit skeletal muscle, preliminary crystallographic data for adenylosuccinate synthetase, 729
Reassembly of the bacteriophage T4 tail from the core-baseplate and the monomeric sheath protein P18: a co-operative association process, 369
Repressor overproduction by the λcIIIs mutant, 551
Restriction endonuclease, third, from *Xanthomonas malvacearum*, 133
Reynolds, C. D. (see also Cutfield, J. F.), 85
RNA, fluorescence studies of the binding of a yeast tRNA^{Phe} derivative to *Escherichia coli* ribosones, 557
— 5 S complexes with ribosomal proteins L5, L18 and L25 from *Escherichia coli*, an examination of their structures; identification of kethoxal-reactive sites on the 5 S RNA, 637
—, 5 S ribosomal, from *Escherichia coli*, structure: identification of kethoxal-reactive sites in the A and B conformations, 621
— 49 S of Sindbis virus, biophysical studies on circle formation, 1
Ribonucleoprotein, messenger, free, and polysomes of mouse Taper ascites cells, characterization of poly(A$^+$)RNA, 679
—, —, —, — — — — — — —, distribution of cytoplasmic poly(A$^+$)RNA sequences, 695
Ribosomal proteins L5, L18 and L25 from *Escherichia coli*, structures of their complexes with 5 S RNA: identification of kethoxal-reactive sites on the 5 S RNA, 637
— — S2, a conditionally lethal mutation of *Escherichia coli* affecting the gene coding (*rpsB*), 219
— 5 S RNA structure for *Escherichia coli:* identification of kethoxal-reactive sites in the A and B conformations, 621
Ribosome crystal attachment to intracellular membranes, 69
— 70 S of *Escherichia coli*, the distance between the anticodon loops of two bound tRNAs, 575
— -bound fluorescent transfer RNA analogue, an energy transfer equilibrium between two identical copies: implications for the possible structure of codon–anticodon complexes, 587
Ribosomes of *Escherichia coli* and the binding of a yeast tRNA^{Phe} derivative: fluorescence studies, 557
— in thiostrepton-resistant mutants of *Bacillus megaterium* lacking a single 50 S subunit protein, 235
Richards, F. M. (see also Cohen, F. E.), 275

Richmond, T. J. (see also Cohen, F. E.), 275
Rinehart, F. P. (see also Houck, C. M.), 289
Robson, B. & Osguthorpe, D. J., Refined models for computer simulation of protein folding. Applications to the study of conserved secondary structure and flexible hinge points during the folding of pancreatic trypsin inhibitor, 19
rpsB, a conditionally lethal mutation of *Escherichia coli* affecting the gene coding for ribosomal protein S2, 219

S2 ribosomal protein, a conditionally lethal mutation of *Escherichia coli* affecting the gene coding (*rpsB*), 219
Sakano, H. (see also Inokuchi, H.), 649
Sartorius muscle of the frog, equatorial X-ray intensities and isometric force levels, 53
Schaechter, M. (see also Leibowitz, P. J.), 547
Schmid, C. W. (see also Houck, C. M.), 289
Schwartz, M. (see also Debarbouille, M.), 521
Seidel, J. C. (see also Thomas, D. D.), 257
Sequences of cytoplasmic poly(A^+)RNA, distribution in free messenger ribonucleoprotein and polysomes of mouse ascites cells, 695
—, repeated, of DNA, a ubiquitous family in the human genome, 289
— of yeast DNA corresponding to specific tyrosine-inserting nonsense suppressor loci, 387
Shaw, P. H. (see also McMullen, M. D.), 679
Sherman, F. (see also Ono, B.-I.), 507
Shiraki, H. (see also Harada, S.), 729
Siegel, P. J. (see also Leibowitz, P. J.), 547
Silberklang, M. (see also Kunkel, L. M.), 133
Simian virus 40 viral minichromosome, staphylococcal nuclease makes a single non-random cut, 535
Sindbis virus 49 S RNA, biophysical studies on circle formation, 1
Skeletal muscle of rabbit, preliminary crystallographic data for adenylosuccinate synthetase, 729
Solvent-accessible surfaces of nucleic acids, 411
Spin-labeled F-actin, rotational dynamics in the sub-millisecond time range, 257
Staphylococcal nuclease makes a single non-random cut in the simian virus 40 viral minichromosome, 535
Stark, M. (see also Cundliffe, E.), 235
Stewart, J. W. (see also Ono, B.-I.), 507
Stöffler, G. (see also Cundliffe, E.), 235
Stöffler-Meilicke, M. (see also Cundliffe, E.), 235
Strauss, J. H. (see also Frey, T. K.), 1
Structure and biochemistry of mouse hepatic gap junctions, 193
— — biological activity of hagfish insulin, 85
— of complexes of 5 S RNA with ribosomal proteins L5, L18 and L25 from *Escherichia coli*: identification of kethoxal-reactive sites on the 5 S RNA, 637
—, cross-β, and rigidly linked domains of the distal half of the tail fibre of bacteriophage T4, 101
— of deoxy hemoglobin C (beta six Glu → Lys) in two crystal forms, 603
— — molluscan thick filaments: a common origin for diverse appearances, 323
— — 5 S ribosomal RNA from *Escherichia coli:* identification of kethoxal-reactive sites in the A and B conformations, 621
—, secondary, and flexible hinge points during the folding of pancreatic trypsin inhibitor; refined models for computer simulation of protein folding, 19
Stryer, L. (see also Morrow, J. S.), 733
su$^+$2 amber suppressor, an anticodon mutant of $tRNA_2^{Gln}$, in *Escherichia coli*, 649
Sundin, O. & Varshavsky, A., Staphylococcal nuclease makes a single non-random cut in the simian virus 40 virial minichromosome, 535
Suppressor loci, nonsense, tyrosine-inserting, specific, identification of the corresponding yeast DNA sequences, 387
Suppressors, leucine-inserting: yeast UAA suppressors effective in ψ^+ strains, 507
—, transfer RNA, in *Escherichia coli:* amber suppressor *su*$^+$2, an anticodon mutant of $tRNA_2^{Gln}$, 649
—, — RNA, in *Escherichia coli:* duplicate genes for $tRNA_2^{Gln}$, 663
Surfaces, solvent-accessible, of nucleic acids, 411
Syvanen, M. (see also Young, R.), 307

T4 (see also Bacteriophage), 101, 369, 471, 493
— (see also Coliphage), 547

Tail of bacteriophage T4, reassembly from the core-baseplate and the monomeric sheath protein P18: a co-operative association process, 369
— fibre of bacteriophage T4, rigidly linked domains and cross-β structure of the distal half, 101
Tanaka, N. (see also Harada, S.), 729
Taper ascites cells, mouse, characterization of poly(A^+)RNA in free messenger ribonucleoprotein and polysomes, 679
— — —, —, distribution of cytoplasmic poly(A^+)RNA sequences in free messenger ribonucleoprotein and polysomes, 695
Thiostrepton-resistant mutants of *Bacillus megaterium*, ribosomes lacking a single 50 S subunit protein, 235
Thomas, D. D., Seidel, J. C. & Gergely, J., Rotational dynamics of spin-labeled F-actin in the sub-millisecond time range, 257
Transcription unit lengths for the heat shock proteins in *Drosophila melanogaster*, 141
Transfer RNA analogue, fluorescent, ribosome-bound, an energy transfer equilibrium between two identical copies: implications for the possible structure of codon–anticodon complexes, 587
— — suppressor identification in *Escherichia coli:* duplicate genes for $tRNA_2^{Gln}$, 663
— — suppressor identification in *Escherichia coli:* amber suppressor *su*$^+$2, an anticodon mutant of $tRNA_2^{Gln}$, 649
— RNAs, two, bound to the 70 S *Escherichia coli* ribosome, the distance between their anticodon loops, 575
— RNA^{Phe} derivative, yeast, fluorescence studies of binding to *Escherichia coli* ribosomes, 557
Transmembrane channel activity of gramicidin A analogs: effects of modification and deletion of the amino-terminal residue, 733
Transposition mutagenesis of bacteriophage lambda: a new gene affecting cell lysis, 307
Trypsin inhibitor, pancreatic, secondary structure and flexible hinge points during folding; refined models for computer simulation, 19
— -modified EF-Tu·GDP, crystallized, and polyphenylalanine synthesis, 253
Tschopp, J. (see also Arisaka, F.), 369
Tyrosine-inserting nonsense suppressor loci, specific, identification of the corresponding yeast DNA sequences, 387

UAA suppressors, yeast, effective in ψ^+ strains: leucine-inserting suppressors, 507
Unwin, P. N. T., Attachment of ribosome crystals to intracellular membranes, 69

van Driel, R. (see also Arisaka, F.), 369
Varshavsky, A. (see also Sundin, O.), 535
Veatch, W. R. (see also Morrow, J. S.), 733
Viral SV40 minichromosome, staphylococcal nuclease makes a single non-random cut, 535
Virus, Sindbis, 49 S RNA, biophysical studies on circle formation, 1

Way, J. (see also Young, R.), 307
Way, S. (see also Young, R.), 307
Weber, K. (see also Henderson, D.), 193
Wilson, G. G. & Murray, N. E., Molecular cloning of the DNA ligase gene from bacteriophage T4 I. Characterisations of the recombinants, 471
Wintermeyer, W. (see also Fairclough, R. H.), 557
Wittinghofer, A., Frank, R., Gast, W. H. & Leberman, R., Polyphenylalanine synthesis by crystallized trypsin-modified EF-Tu·GDP, 253

Xanthomonas malvacearum, a third restriction endonuclease, 133
X-ray intensities, equatorial, and isometric force levels in frog sartorius muscle, 53

Yamao, F. (see also Inokuchi, H.), 649, 663
Yeast DNA sequences corresponding to specific tyrosine-inserting nonsense suppressor loci, 387
— $tRNA^{Phe}$ derivative, fluorescence studies of the binding to *Escherichia coli* ribosomes, 557
— UAA suppressors effective in ψ^+ strains: leucine-inserting suppressors, 507
Yin, J. (see also Young, R.), 307
Young, R., Way, J., Way, S., Yin, J. & Syvanen, M., Transposition mutagenesis of bacteriophage lambda: a new gene affecting cell lysis, 307
Yu, L. C., Hartt, J. E. & Podolsky, R. J., Equatorial X-ray intensities and isometric force levels in frog sartorius muscle, 53

Zaccai, G. & Gilmore, D. J., Areas of hydration in the purple membrane of *Halobacterium halobium:* a neutron diffraction study, 181
Zachau, H. G. (see also Fairclough, R. H.), 557